# DUROPAL WORKTOP COLLECTION

UK & IRELAND 2025–2028

MADE IN GERMANY





# MAKE YOUR VISIONS WORK. NATURALLY SUSTAINABLE

#### **QUALITY YOU CAN TAKE FOR GRANTED**

Duropal worktops are the perfect alternative to acrylic based, granite and stone worktops at a fraction of the price. Our comprehensive selection of decors offers opportunities from the most modern applications to the more traditional.

Decor used: S63069 Cracked Marble Plaster

DUROPAL WORKTOPS	4
OVERVIEW	6
DECORS	8
LARGE SCALE IMAGES	10
AVAILABILITY CHART	17
HIGH RESISTANCE	18
ACCESSORIES	20
DIMENSIONS	22
HYGIENE PRODUCTS	24
SUSTAINABILITY	26

## DUROPAL WORKTOPS

## TAKING ROBUSTNESS AND VARIETY **TO A NEW LEVEL**

Duropal worktops are easy to process and extremely durable. They offer a wide range of decors, surface structures and core materials – making them the material of choice for modern, long-lasting and hygienic kitchen design.

- 33 exciting decors available as 38mm postformed worktops,
- 12 decors in a contemporary 20mm square edged worktop,
- 12 decors in the ultra-modern 12mm solid core compact worktop.

#### **HPL surface**

Duropal worktops are surfaced with genuine high-pressure laminate according to EN 438; hardwearing and easy to clean.

#### Glueline

Guaranteed moisture and heat resistant to EN 204. Only featured on postformed worktops.

#### Postformed edge

The profiled front edge of Duropal Quadra worktops is designed to help prevent liquid spills finding their way into drawers and cupboards. Please note that the Quadra postformed edge is available for a selection of 33 decors.

#### Certified to the highest standards

As a large producer of chipboard, we ensure that all our material carries the FSC certification, guaranteeing that it comes from properly environmentally managed and sustainable sources. We have also achieved independent FSC accreditation to provide surety for "chain of custody".





www.duropal.co.u for a copy of the ificate and sco

#### **OVERVIEW OF WORKTOPS**



#### Quadra profile

The Duropal Quadra profile, fashionable yet tried and tested, offers you unique product features and is available in this collection in 33 colourways.

• 3mm radius


- available as 38mm postformed edge
- core material: ClassicBoard P2 TSCA. Low emission particleboard core, type P2 conforming to EN 312.

#### General guidelines for processing Duropal worktops:

- Always use sharp tools.
- Reduce the feed rate when cutting through the postformed edge.
- Spiral router cutters achieve best results.
- For finishing edges with Duropal HPL edging strip, trim and finish with 300 grit sandpaper.

This information is for guidance only and is based on our experiences with the processing of our products, it does not give any guarantee of final results; guidelines should be adapted to the situation depending on the tools available. Your tool supplier should be consulted to assist in the selection of the correct tools for best results. This information is not intended to and shall not be deemed to constitute a guarantee by us of any kind or character whatsoever.





#### **Drip Groove**

All worktops with a Quadra profile feature a unique v-groove seal which has been patented specifically for Duropal Worktops. This seal is designed to ensure a maximum of protection against moisture and steam.



• Circular saw blades with flat chamfer teeth (FZ/FA) or alternating teeth (WZ) achieve best results.

#### Square Edged

A slimline worktop made up of a particleboard core and featuring decorative Duropal HPL on both faces. Both longitudinal edges of the worktop feature a matching laser edge.

- available as 20mm edge
- available in a selection of 12 decors
- core material: ClassicBoard P3. Particleboard core, type P3.


#### **Duropal Compact Worktop**

A thin worktop with extraordinary properties. With its simple style it reflects the latest trends in interior design. A worktop with offers extraordinary durability, reliable functionality and timeless elegance.

- available in 12mm with white, grey and black core
- available in a selection of 12 decors

### DECORS

А	В	C	D	E	F	G	н	I
38mm Postfor	med Worktops					20mm Square	e Edged Worktop	S
F73009 BR QUADRA	F76028 CA QUADRA	F76044 MS QUADRA	F76083 CA QUADRA	R20004 VV QUADRA	1 R20039 RT QUADRA	F73009 BR SQUARE		R20039 RT SQUARE
Quartz Stone	Rabac	Bellato Grey	Oxyd Grey	Natural Oak Block	Grey Sonoma Oak	Quartz Stone	Bellato Grey	Grey Sonoma Oak
R20154 RT QUADRA Wellington Oak	R20231 FG QUADRA Torino Oak Nature	R20256 NW QUADRA Lorenzo Oak	R20315 NW QUADRA Artisan Oak	R20378 NW QUADRA Artisan Oak White	R20382 NW QUADRA Bijoux Oak	S63028 MS SQUARE Nero Portoro	S63045 SD SQUARE India White	S63069 CA SQUARE Cracked Marble Plaster
					3			
R20391 NW QUADRA Nutmeg Bijoux Oak	R20409 NW QUADRA Artisan Oak Grey	R20454 NW QUADRA Artisan Oak Anthracite	R30023 VV QUADRA Block Walnut	R30135 NW QUADRA Okapi Walnut	R55004 RT QUADRA Ponderosa Pine	12mm Compa	ct Worktops	
S61008 MP QUADRA	Sóioii BR QUADRA	S62009 BR QUADRA	S63009 MS QUADRA	S63033 MS QUADRA	4 563045 MS QUADRA	F76026 GR		F76054 GR
Black Brazil	Ipanema White	Natural Messina	Carrara Marble	Light Cortona	India White	Ceramic Rust	Bellato Grey	Metallic Brown
S63066 MS QUADRA Caviar Silver	S63069 CA QUADRA Cracked Marble Plaster	S63074 PT QUADRA Titian	S63075 PT QUADRA Romeo	S66012 MS QUADRA Glacial Storm	S68002 MP QUADRA Astral Quartz	S63028 CM Nero Portoro	S63045 CM	S63069 CM Cracked Marble Plaster
S68035 BR QUADRA Quartz Grey	S68036 MS QUADRA Cento	U11026 SD QUADRA Crystal White			6	S63075 CM Romeo	568036 CM Cento	568063 GR Aperol



S63009 MS Carrara Marble



S63074 PT Titian

SQUARE



SQUARE S63013 MS SQUARE Trasimeno Basalt



S63075 PT Romeo



L

**S63021 MS** Breccia Paradiso SQUARE



S68035 BR Quartz Grey

3

4


5

2


#### **ANY QUESTIONS?** WE LOOK FORWARD TO HEARING FROM YOU.



S63009 CM Carrara Marble



S63074 CM Titian



Chalk



#### 24-hour service Samples available to order around the clock: Tel.: +44 (0) 16 25 660 411

Email: info-uk@pfleiderer.com www.duropal.co.uk

Any personal details are only taken for the requirement of sending out samples and are not retained on file.

6


Due to the print reproduction on numerous decors, may we recommend that you view large scale images included in this brochure or visit www.duropal.co.uk, prior to ordering your worktop.

9

## LARGE SCALE DECOR IMAGES

The decors displayed below are shown in large scale format to highlight the pattern variations and natural effects that these worktops are intended to feature.

#### 38mm Postformed Worktops











R20382 NW QUADRA Bijoux Oak

R20391 NW Nutmeg Bijoux Oak

R20409 NW Artisan Oak Grey QUADRA



QUADRA Artisan Oak Anthracite





R55004 RT Ponderosa Pine

QUADRA

R20378 NW

10

Artisan Oak White



Torino Oak Nature



Lorenzo Oak



R20315 NW Artisan Oak

QUADRA



S61008 MP Black Brazil



S61011 BR Ipanema White

QUADRA





QUADRA

S63033 MS Light Cortona

QUADRA

QUADRA



S63045 MS







**S68036 MS** Cento QUADRA QUADRA

S68035 BR Quartz Grey

12

U11026 SD Crystal White

**ANY QUESTIONS?** WE LOOK FORWARD TO HEARING FROM YOU.

Carrara Marble



QUADRA

QUADRA

S63069 CA

Romeo







Glacial Storm





S68002 MP Astral Quartz

QUADRA



#### 24-hour service


Samples available to order around the clock: Tel.: +44 (0) 16 25 660 411 Email: info-uk@pfleiderer.com www.duropal.co.uk

Any personal details are only taken for the requirement of sending out samples and are not retained on file.

#### 20mm Square Edged Worktops







S63045 SD India White

SQUARE

#### 12mm Compact Worktops





SQUARE

**S63075 PT** Romeo

S68035 BR Quartz Grey SQUARE

14

F76026 GR Ceramic Rust

F76044 CM Bellato Grey

F76054 GR Metallic Brown





S63069 CA Cracked Marble Plaster



S63074 PT Titian

SQUARE






S63009 CM Carrara Marble



S63028 CM Nero Portoro

### AVAILABILITY CHART

Worktops




	Decor	Reference	Decor name	Surface texture	Coordinates	Light Reflective Values (LRV)	38mm Postformed	20mm Square Edged	Compact Worktop (Core Colours)	HPL MDF Back Panels	HPL Upstands	HPL Compact
	F73	009	Quartz Stone	BR	A1	0.68	Quadra	-	-	•	•	-
	F76	028	Rabac	CA	B1	0.12	Quadra	-	-	٠	٠	-
	F76	044	Bellato Grey	MS	C1	0.46	Quadra	-	-	•	•	-
3	F76	083	Oxyd Grey	CA	D1	0.42	Quadra	-	-	•	•	-
	R20	0004	Natural Oak Block	VV	E1	0.26	Quadra	-	-	•	•	-
	R20	0039	Grey Sonoma Oak	RT	F1	0.32	Quadra	-	-	•	•	-
-	R20	0154	Wellington Oak	RT	A2	0.34	Quadra	-	-	•	•	-
	R20	0231	Torino Oak Nature	FG	B2	0.2	Quadra	-	-	•	•	-
5	R20	0256	Lorenzo Oak	NW	C2	0.37	Quadra	-	-	•	•	-
	R20	0315	Artisan Oak	NW	D2	0.28	Quadra	-	-	•	•	-
10	" R20	378	Artisan Oak White	NW	E2	0.46	Quadra	-	-	•	•	-
	R20	0382	Bijoux Oak	NW	F2	0.13	Quadra	-	-	•	•	-
	R20	0391	Nutmeg Bijoux Oak	NW	A3	0,2	Quadra	-	-	•	•	-
100	R20	0409	Artisan Oak Grey	NW	B3	0.34	Quadra	=	-	•	•	-
	R20	)454	Artisan Oak Anthracite	NW	C3	0.95	Quadra	-	-	•	•	-
1	R30	0023	Block Walnut	VV	D3	0.26	Quadra	=	-	•	•	-
	R30	0135	Okapi Walnut	NW	E3	0.13	Quadra	-	-	•	•	
1	R55	5004	Ponderosa Pine	RT	F3	0.27	Quadra	-	-	•	•	-
	S61	800	Black Brazil	MP	A4	0.11	Quadra	-	-	•	•	-
35	S61	011	Ipanema White	BR	B4	0.25	Quadra	-	-	•	•	-
	S62	2009	Natural Messina	BR	C4	0.45	Quadra	-	-	•	•	-
	S63	009	Carrara Marble	MS	D4	0.64	Quadra	-	-	•	•	-
1	S63	033	Light Cortona	MS	E4	0.12	Quadra	-	-	•	•	-
1	S63	8045	India White	MS	F4	0.76	Quadra	-	-	•	•	-
	S63	8066	Caviar Silver	MS	A5	0.1	Quadra	-	-	•	•	-
	S63	069	Cracked Marble Plaster	CA	B5	0.59	Quadra	-	-	•	•	-
	S63	8074	Titian	PT	C5	0.13	Quadra	-	-	•	•	-
	\ S63	8075	Romeo	PT	D5	0.46	Quadra	-	-	•	•	-
1.	S66	012	Glacial Storm	MS	E5	0.18	Quadra	-	-	•	•	-
	S68	8002	Astral Quartz	MP	F5	0.1	Quadra	-	-	•	•	-
	S68	8035	Quartz Grey	BR	A6	0.20	Quadra	-	-	•	•	-
	S68	8036	Cento	MS	B6	0.47	Quadra	-	-	•	•	-
	U11	026	Crystal White	SD	C6	0.88	Quadra	-	-	•	•	-
	_											
	F73	009	Quartz Stone	BR	G1	0.68	=	Square	-	•	•	-
	F76	044	Bellato Grey	MS	H1	0.12	-	Square	-	•	•	-
	R20	0039	Grey Sonoma Oak	RT	I1	0.26	-	Square	-	•	•	-
	S63	8009	Carrara Marble	MS	J1	0.64	-	Square	-	•	•	-
	S63	8013	Trasimeno Basalt	MS	K1	0.19	-	Square	-	•	•	-
	S63	8021	Breccia Paradiso	MS	L1	0.31	-	Square	-	•	•	-
	S63	8028	Nero Portoro	MS	G2	0.11	-	Square	-	•	•	-
	S63	8045	India White	SD	H2	0.76	-	Square	-	•	•	-
	S63	8069	Cracked Marble Plaster	CA	I2	0.59	-	Square	-	•	•	-
-	S63	8074	Titian	PT	J2	0.13	-	Square	-	•	•	-
	\$63	8075	Romeo	PT	K2	0.46	-	Square	-	•	•	-
	S68	8035	Quartz Grey	BR	L2	0.20	-	Square	-	•	•	-
	_											
		026	Ceramic Rust	GR	G4	0.10	-	-		•	-	•
		044	Bellato Grey	CM	H4	0.12	-	-		•	-	•
	_	054	Metallic Brown	GR	I4	0.29	-	-	_	•	-	
		8009	Carrara Marble	CM	J4	0.64	-	-		•	-	
	_		Nero Portoro	СМ	G5	0.11	-	-		•	-	•
$\mathbf{\Lambda}$			India White	СМ	H5	0.76	-	-		•	-	•
		8069	Cracked Marble Plaster	СМ	I5	0.59	-	-	_	•	-	•
	_	8074	Titian	СМ	J5	0.13	-	-		•	-	
	_	8075	Romeo	СМ	G6	0.46	-	-		•	-	•
	S68	8036	Cento	СМ	H6	0.47	-	-		•	-	•
100	the second se		Aperol	GR	16	0.40	-	-		•	-	•



S68063 GR Aperol

U11102 CM Chalk



## **DUROPAL WORKTOPS – THE DURABLE CHOICE**

Melamine resin is the hardest of all synthetically produced organic materials. This is the reason for the high scratch and wear resistance of Duropal HPL. The high impact resistance of the material is due to the elasticity of phenolic resin. These properties also explain the high resistance of HPL to chemicals and heat. However, the bottoms of saucepans and ovenware can become extremely hot and we recommend using a protective pad.

#### **Cleaning and care instructions**

A major advantage of Duropal worktops is that the HPL surface makes cleaning so simple. Usually a moist cloth is sufficient, but use washing-up liquid to get rid of any grease. Stubborn dirt can be removed with an organic solvent such as methylated spirits or alcohol. There's nothing easier than cleaning and caring for Duropal worktops.

Light stains						
Normal stains	e.g. fat, oil and dirt particles, fingermarks, lime deposits, rust, juice, coffee, tea, wax, blood, universal marker, etc.					
Heavy stains	e.g. discolouration through long exposure to tea, coffee, fruit, juice, etc.					
	e.g. lead pencil, felt-tip pens, marker and ball- point pens, lipstick, crayons, wax, shoe polish, nicotine, nail varnish.					
	e.g. paint (water or solvent based paints, two-component paints, spray paints), varnish stains, printing ink					
	e.g. discolouration through long exposure to tea, coffee, fruit, juice, etc.					

- Please do not cut or chop directly on the worktop surface always use a chopping board or worktop saver.
- Always place hot pans, ovenware and irons on a trivet or protective pad to protect the surface from the intense heat which can cause damage to the worktop if placed directly on the surface. The use of abrasive cleaners and pads, corrosive or aggressive cleaning agents should be avoided as they will have a detrimental effect on the worktop surface.
- The use of PVC aprons may possibly affect the durability of the HPL on the post-formed edge of worktops. This could lead to premature wear in high traffic work areas such as in front of the sink and hob.
- Kettles, coffee machines, fryers and any other heat or damp source should not be positioned directly over worktop joints. Constant changes in temperature could cause the joint to move and eventually fail.
- Cuts and scratches will be noticeable on dark decors and smooth finishes.
- Please ensure that due care is taken to correctly seal the product to prevent moisture ingress.

#### **Cleaning method**

dry or damp paper towels, a cloth or sponge

dry or damp paper towels, a cloth or sponge

with washing powder (but do not repeat too often)

with an organic solvent such as acetone (nail varnish remover), methylated spirits, petroleum spirit, perchloroethene. Read the manufacturer's instructions carefully!

with water or an organic solvent. Remove two-component paints immediately.

with water or organic solvent. Do not allow two-component adhesive to harden!



#### **HPL Upstands**

Surfaced in genuine Duropal high-pressure laminate produced with P3 moisture resistant chipboard core and available in the following size:

• 4,100x120x20mm (3mm postformed radius)

An ideal finishing touch for your Duropal high-pressure laminate postformed and square edged worktops offering another cost-efficient and hygienic alternative to tiling. Available to match all Quadra postformed worktop decors and 20mm square edged worktop decors.

#### **Duropal HPL Compact Upstands**

Duropal HPL Compact Upstands are available in the following size:

• 4,100x120x12mm (top edge bevelled)

This accessory offers an affordable and hygienic alternative to wall tiling. Available to match the 12 decors in the Duropal Compact Worktop range.


#### **HPL MDF Back Panels**

Consisting of an 8mm E1 medium density fibreboard (MDF) core surfaced with genuine Duropal high-pressure laminate manufactured to EN 438. Available to match all decors, in the following size:

• 4,100x640x9mm nominal (8mm MDF core)

Please ensure that due care is taken to correctly seal the product to prevent moisture ingress. For installation behind hobs, check with hob manufacturer's fitting instructions to ensure that suitability and distance requirements are met.

**ANY QUESTIONS?** WE LOOK FORWARD TO HEARING FROM YOU.





#### 24-hour service

Samples available to order around the clock: Tel:: +44 (0) 16 25 660 411 Email: info-uk@pfleiderer.com www.duropal.co.uk

Any personal details are only taken for the requirement of sending out samples and are not retained on file.

## DIMENSIONS

#### 38mm Postformed Worktops

3,050x600x38mm postformed 1 long edge (worktop) 4,100x600x38mm postformed 1 long edge (worktop) 4,100x670x38mm postformed 2 long edges (breakfast bar) 4,100x900x38mm postformed 2 long edges (breakfast bar)

#### 20mm Square Edged Worktops

4,100x640x20mm square edged 2 long edges (worktop) 4,100x900x20mm square edged 2 long edges (breakfast bar)

#### 12mm Compact Worktops

4,100x640x12mm bevelled on 1 long edge 4,100x950x12mm bevelled on 2 long edges 4,100x1,300x12mm unfinished edges

#### **HPL Upstands**


4,100x120x20mm nominal thickness (3mm postformed radius)

#### HPL Compact Upstands

4,100x120x12mm nominal thickness

#### HPL MDF Back Panels

4,100x640x9mm nominal thickness



#### 20mm Square Edged Worktops/ 40mm Square Edged Worktops

# 12mm Compact Worktops 640 950 1,300

#### HPL Upstands/ HPL Compact Upstands

#### HPL MDF Back Panels







4,100




## **HEALTH PROTECTION AS STANDARD!**

Antimicrobial surface treatment is standard with Duropal Worktops.

For areas where hygiene is of the utmost importance, you can be confident that Duropal worktops are made from high quality materials that actively contribute to health protection. This product innovation helps to minimise the risk of infections from pathogens via surfaces.

#### Standard surfaces (e.g. Duropal HPL)

• 24h antimicrobial effect (according to JIS Z 2801 / ISO 22196)



Bacteria Standard surfaces

# SUSTAIN ABILITY

WE ARE COMMITTED TO THE **UNITED NATIONS GLOBAL COMPACT** 

Those who rely on wood as a raw material rightly expect an environmentally conscious "green" material. At Pfleiderer we want to do full justice, to this to commodity, therefore been offering an extensive range of low-emission and environmentally friendly products for many years. Sustainability - in addition to ecological, social and economic aspects - as well as the careful use of natural resources are permanent pillars of our corporate philosophy. Consistent circular economy and wood recycling at the highest technological level as well as independent evaluation of our procurement, production and logistics processes ensure that we optimally harmonise qualitative our ecological requirements ensuring that we offer our customers the best possible service, manufacturing and logistics processes as well as a corporate culture of accountability. We ensure that you can use our products with a clear conscience and recommend them to your customers.

#### CORPORATE LEVEL



#### PRODUCT LEVEL







#### **BUILDING CERTIFICATES**







Learn more about our sustainability strategy: pfleiderer.com/sustainability





Sorting and preparation of waste wood



Use of wood-based materials



Production and refinement of wood-based materials

Sustainable

forestry











#### 24-hour service

Samples available to order around the clock: Tel.: +44 (0) 16 25 660 411 Email: info-uk@pfleiderer.com

www.duropal.co.uk

Any personal details are only taken for the requirement of sending out samples and are not retained on file.





© Copyright 2025 Pfleiderer Deutschland GmbH.

This information is issued with great care. We do not however accept any responsibility for the accuracy, completeness and timeliness. There may be slight colour differences between the printed brochure image and the actual design.

Due to the continuous development and modification of our products, possible changes to the relevant standards, laws and regulations, our technical data sheets and product documents expressly do not represent a legally binding guarantee of the properties specified therein. In particular, no suitability for a specific purpose can be derived from this information. It is therefore the personal responsibility of the individual user to check the processing and suitability of the products described in this document for the intended use and to take into account the legal framework and the current state of the art. Furthermore, we expressly refer to the validity of our general terms and conditions.

You can find our general terms and conditions on our webpage: www.pfleiderer.com

Pfleiderer uses wood from Certified Sustainable Forest Management.



#### MADE IN GERMANY

#### Good to know: the Pfleiderer quality promise.

Pfleiderer wood-based panels stand for quality without compromise. We use sustainable raw materials and state-of-the-art production processes and we are fully committed to our site in Germany. For more information, visit **quality.pfleiderer.com**.